RECEIVED

DUE DATE

DIST BERARDINI, J. H

ACTION

CORRES CONTROL INCOMING LTR NO

00951RF03

2033 OCT 15 A STATE OF COLORA

Bill Owens, Governor
Douglas H Benevento Executive Director
Douglas H Benevento Executive Director
Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr 5 Denver, Colorado 80246-1530 Phone (303) 692-2000 TDD Line (303) 691-7700

8100 Lowry Blvd Denver, Colorado 80230 6928

Laboratory and Radiation Services Division

(303) 692-3090

Located in Glendale, Colorado



dphe state	co	us
	dphe state	dphe state co

BUTLER, L DECK, C. A. DEGENHART, K. R. DIETER, T. J. DIETERLE, S. E. FERRERA D. W GIACOMINI, J J

LINDSAY, D C ONG J W LYLE, J. L. MARTINEZ, L. A NAGEL, R. E NORTH, K PARKER, A. M. RODGERS, A. D. SHELTON, D. SPEARS, M S TRICE, K. D. TUOR, N. R.

WILLIAMS J. PRASONS D NUSTO

October 9, 2003

Mr Joe Legare Assistant Manager for Environment and Stewardship US Department of Energy, Rocky Flats Field Office 10808 Highway 93, Unit A Golden, CO 80403-8200

RE. Pre-Demolition Survey Report (PDSR) for Building 866 - Approval

Dear Mr Legare

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division has reviewed the PDSR for Building 866, Revision 0 dated September 23, 2003, received October 9, 2003 Based on the information contained in this PDSR, we approve the PDSR for B866

As discussed in this PDSR neither the floor nor sump in B866 meet free-release levels. The floor having radiological contamination above free-release levels, and the sump having radiological, RCRA, and beryllium contamination As a precaution to prevent possible release of contamination during demolition, the floor and sump will be sprayed with fixative The floor will be managed and disposed as LLW, and the sump as low-level mixed waste (LLMW) Utilizing the consultative process this was previously discussed and agreed to, as indicated in the Contact Record dated September 22, 2003

If you have any questions regarding this correspondence please contact me at (303) 692-3367 or David Kruchek at (303) 692-3328

Sincerely,

Steven H Gunderson RFCA Project Coordinator

COR. CONTROL PATS/130

> Reviewed for Addressee Corres Control RFP

Steve Tower, DOE Tım Rehder, EPA Duane Parsons, KH

Midministrative Records Building T130G

Karen Wiemelt, KH Dave Shelton, KH Steve Nesta, KH



DOE ORDER# 5400 I

Ref Ltr #

ADMIN RECORD